



Auntie Dolores Hand Sanitizer

Batch ID:	HS-0520	Test ID:	T000094783
Reported:	10-Sep-2020	Method:	TM14
Type:	Concentrate		
Test:	Potency		

CANNABINOID PROFILE


Compound	LOQ (%)	Result (%)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.00	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.00	ND	ND
Cannabidiolic acid (CBDA)	0.00	ND	ND
Cannabidiol (CBD)	0.00	0.05	0.5
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.00	ND	ND
Cannabinolic Acid (CBNA)	0.01	ND	ND
Cannabinol (CBN)	0.00	ND	ND
Cannabigerolic acid (CBGA)	0.00	ND	ND
Cannabigerol (CBG)	0.00	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.00	ND	ND
Tetrahydrocannabivarin (THCV)	0.00	ND	ND
Cannabidivarinic Acid (CBDVA)	0.00	ND	ND
Cannabidivarin (CBDV)	0.00	ND	ND
Cannabichromenic Acid (CBCA)	0.00	ND	ND
Cannabichromene (CBC)	0.00	ND	ND
Total Cannabinoids		0.05	0.5
Total Potential THC**		ND	ND
Total Potential CBD**		0.05	0.5


NOTES:

N/A

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa * (0.877)) and
 Total CBD = CBD + (CBDa * (0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL


Ryan Weems
 10-Sep-2020
 4:15 PM



Greg Zimpfer
 10-Sep-2020
 4:25 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

Auntie Dolores Hand Sanitizer

Batch ID:	HS-0520	Test ID:	T000094787
Reported:	10-Sep-2020	Method:	TM17
Type:	Concentrate		
Test:	Pesticides		


PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	46 - 2531	ND*	Malathion	304 - 2531	ND*
Acetamiprid	43 - 2531	ND*	Metalaxyl	44 - 2531	ND*
Abamectin	>360	ND*	Methiocarb	49 - 2531	ND*
Azoxystrobin	44 - 2531	ND*	Methomyl	44 - 2531	ND*
Bifenazate	44 - 2531	ND*	MGK 264 1	185 - 2531	ND*
Boscalid	46 - 2531	ND*	MGK 264 2	139 - 2531	ND*
Carbaryl	47 - 2531	ND*	Myclobutanil	43 - 2531	ND*
Carbofuran	46 - 2531	ND*	Naled	60 - 2531	ND*
Chlorantraniliprole	42 - 2531	ND*	Oxamyl	45 - 2531	ND*
Chlorpyrifos	44 - 2531	ND*	Paclobutrazol	50 - 2531	ND*
Clofentezine	301 - 2531	ND*	Permethrin	306 - 2531	ND*
Diazinon	312 - 2531	ND*	Phosmet	49 - 2531	ND*
Dichlorvos	>292	ND*	Prophos	274 - 2531	ND*
Dimethoate	45 - 2531	ND*	Propoxur	49 - 2531	ND*
E-Fenpyroximate	303 - 2531	ND*	Pyridaben	289 - 2531	ND*
Etofenprox	45 - 2531	ND*	Spinosad A	31 - 2531	ND*
Etoxazole	296 - 2531	ND*	Spinosad D	83 - 2531	ND*
Fenoxycarb	>45	ND*	Spiromesifen	>271	NA
Fipronil	51 - 2531	ND*	Spirotetramat	>257	NA
Flonicamid	38 - 2531	ND*	Spiroxamine 1	20 - 2531	ND*
Fludioxonil	>278	ND*	Spiroxamine 2	27 - 2531	ND*
Hexythiazox	43 - 2531	ND*	Tebuconazole	313 - 2531	ND*
Imazalil	299 - 2531	ND*	Thiacloprid	43 - 2531	ND*
Imidacloprid	48 - 2531	ND*	Thiamethoxam	49 - 2531	ND*
Kresoxim-methyl	45 - 2531	ND*	Trifloxystrobin	46 - 2531	ND*


* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL

 Tyler Wiese
 10-Sep-2020
 6:50 PM

PREPARED BY / DATE

 Greg Zimpfer
 10-Sep-2020
 7:56 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.


Auntie Dolores Hand Sanitizer

Batch ID:	HS-0520	Test ID:	T000094788
Reported:	10-Sep-2020	Method:	TM19
Type:	Unit		
Test:	Metals		

HEAVY METALS


Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.069 - 6.91	ND
Cadmium	0.070 - 6.97	ND
Mercury	0.069 - 6.94	ND
Lead	0.073 - 7.30	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

Ryan Weems
10-Sep-2020
11:51 AM

PREPARED BY / DATE



Greg Zimpfer
10-Sep-2020
1:40 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Auntie Dolores Hand Sanitizer

Batch ID:	HS-0520	Test ID:	T000094785
Reported:	10-Sep-2020	Method:	TM04
Type:	Concentrate		
Test:	Residual Solvents		


RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	75 - 1509	*ND
Butanes (Isobutane, n-Butane)	156 - 3118	*ND
Methanol	62 - 1246	*ND
Pentane	91 - 1818	*ND
Ethanol	85 - 1708	>1708
Acetone	102 - 2036	*ND
Isopropyl Alcohol	103 - 2053	498
Hexane	6 - 122	*ND
Ethyl Acetate	101 - 2023	*ND
Benzene	0.2 - 4	*ND
Heptanes	96 - 1929	>1929
Toluene	18 - 364	*ND
Xylenes (m,p,o-Xylenes)	130 - 2601	*ND


* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:
N/A

FINAL APPROVAL


 Daniel Weidensaul
 10-Sep-2020
 5:14 PM

PREPARED BY / DATE


 Ben Minton
 10-Sep-2020
 6:16 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

Auntie Dolores Hand Sanitizer

Batch ID:	HS-0520	Test ID:	T000094786
Reported:	12-Sep-2020	Method:	Topical - Test Methods: TM05, TM06
Type:	Topical		
Test:	Microbial Contaminants		

MICROBIAL CONTAMINANTS



Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected
Coliforms: None Detected**FINAL APPROVAL**
Robert Belfon
12-Sep-2020
5:03 PM
Ben Minton
12-Sep-2020
10:28 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03



Certificate #4329.03